

# Shock Threshold ICSLA\_SHO\_001

## Parameters and Metadata

**Equipment manufacturer** ICSLA\_SHO\_007\_001 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Options: Coulbourn,

---

**Shock Intensity Vocalization** ICSLA\_SHO\_003\_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: mA

---

**Equipment model** ICSLA\_SHO\_006\_001 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Options: Coulbourn polymodal cages,

---

## Shock Intensity Flinch ICSLA\_SHO\_002\_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: mA

---

## Shock Intensity Jump ICSLA\_SHO\_004\_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: mA

---

## Experimenter ID ICSLA\_SHO\_001\_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

---

## Jump response ICSLA\_SHO\_005\_001 | v1.1

simpleParameter

**Req. Analysis:** false

**Req. Upload:** true

**Is Annotated:** false

**Options:** no, yes,

-----