

ALTERNATIVE - Non-Invasive blood pressure ALTESLIM_002_001

Parameters and Metadata

ALTERNATIVE - Body Weight ALTESLIM_002_001_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: g

Description: ALTERNATIVE - Body_Weight

ALTERNATIVE - Systolic arterial pressure ALTESLIM_002_001_02 | v1.0

seriesParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: mmHg

Description: ALTERNATIVE - Systolic_arterial_pressure

Increments: Minimum 1

ALTERNATIVE - Pulse rate ALTESLIM_002_001_003 | v1.0

seriesParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: bpm

Description: ALTERNATIVE - Pulse_rate

Increments: Minimum 1

ALTERNATIVE - Description ALTESLIM_002_001_004 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Description

ALTERNATIVE - Equipment name ALTESLIM_002_001_801 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - Equipment_name

ALTERNATIVE - Equipment manufacturer ALTESLIM_002_001_8

02 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - Equipment_manufacturer

ALTERNATIVE - Equipment model ALTESLIM_002_001_803 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - Equipment_model

ALTERNATIVE - Time training period performed ALTESLIM_002_001_804 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Time_training_period_performed

ALTERNATIVE - Comments ALTESLIM_002_001_805 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - Comments

ALTERNATIVE - Date/Time when moved to testing room A

LTESLIM_002_001_806 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - DateTime_when_moved_to_testing_room
