

# ALTERNATIVE - Pupillometry ALTHAS\_PUP\_001

## Parameters and Metadata

### ALTERNATIVE - Date of procedure ALTHAS\_PUP\_001\_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

---

### ALTERNATIVE - Comments ALTHAS\_PUP\_002\_001 | v1.5

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - general\_comments\_about\_the\_mouse

---

### ALTERNATIVE - Equipment ID ALTHAS\_PUP\_003\_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - equipment\_name

---

## ALTERNATIVE - Equipment manufacturer ALTHAS\_PUP\_004\_001

| v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - equipment\_manufacturer

---

## ALTERNATIVE - Equipment model ALTHAS\_PUP\_005\_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

---

## ALTERNATIVE - Procedural comments ALTHAS\_PUP\_006\_001 | v1

.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

---

## ALTERNATIVE - % Constricted ALTHAS\_PUP\_007\_001 | v1.3

simpleParameter

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Unit Measured: %

Description: ALTERNATIVE - null

---

## ALTERNATIVE - % Recovery ALTHAS\_PUP\_008\_001 | v1.3

simpleParameter

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Unit Measured: %

Description: ALTERNATIVE - null

---