

ALTERNATIVE - Rotarod ALTHMGU_ROT_001

Parameters and Metadata

ALTERNATIVE - Latency to fall ALTHMGU_ROT_001_001 | v1.0

seriesParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE -

Increments: 1, 2, 3,

ALTERNATIVE - Latency to fall_Mean ALTHMGU_ROT_002_001 | v1

.3

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE - null

Derivation: meanOfIncrements('HMGU_ROT_001_001', 3)

ALTERNATIVE - Passive rotation ALTHMGU_ROT_003_001 | v1.1

seriesParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Increments: 1, 2, 3,

Options: f, j, p,

ALTERNATIVE - Body weight ALTHMGU_ROT_004_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: g

Description: ALTERNATIVE -

ALTERNATIVE - Comment ALTHMGU_ROT_005_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

ALTERNATIVE - Animals per run ALTHMGU_ROT_006_001 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

Options: 1, 2, 3, 4, 5,

ALTERNATIVE - Equipment ID ALTHMGU_ROT_007_001 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

Options: 1019, 1069, 1070,

ALTERNATIVE - Equipment manufacturer ALTHMGU_ROT_008_001 | v1.1

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Options: Bioseb,

ALTERNATIVE - Equipment model ALTHMGU_ROT_009_001 | v1.1

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Options: LE 8200,

ALTERNATIVE - Rod surface ALTHMGU_ROT_010_001 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

Options: Rubber foam, Without rubber foam,

ALTERNATIVE - First intertrial interval ALTHMGU_ROT_011_001 |

v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: min

Description: ALTERNATIVE -

Options: 15,

ALTERNATIVE - Second intertrial interval ALTHMGU_ROT_012_0

01 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: min

Description: ALTERNATIVE -

Options: 15,

ALTERNATIVE - Acceleration mode ALTHMGU_ROT_013_001 | v1.2

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: rpm

Description: ALTERNATIVE -

Options: 4-40,

ALTERNATIVE - Rod diameter ALTHMGU_ROT_014_001 | v1.2

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: cm

Description: ALTERNATIVE -

Options: 5, 3,
