

# ALTERNATIVE - Rotarod ALTHMGU\_ROT\_001

## Parameters and Metadata

### ALTERNATIVE - Latency to fall ALTHMGU\_ROT\_001\_001 | v1.0

seriesParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE -

Increments: 1, 2, 3,

---

### ALTERNATIVE - Latency to fall\_Mean ALTHMGU\_ROT\_002\_001 | v1

.3

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE - null

Derivation: meanOfIncrements('HMGU\_ROT\_001\_001', 3)

---

## **ALTERNATIVE - Passive rotation** ALTHMGU\_ROT\_003\_001 | v1.1

seriesParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Increments: 1, 2, 3,

Options: f, j, p,

---

## **ALTERNATIVE - Body weight** ALTHMGU\_ROT\_004\_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: g

Description: ALTERNATIVE -

---

## **ALTERNATIVE - Comment** ALTHMGU\_ROT\_005\_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

---

## **ALTERNATIVE - Animals per run** ALTHMGU\_ROT\_006\_001 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

Options: 1, 2, 3, 4, 5,

---

## **ALTERNATIVE - Equipment ID** ALTHMGU\_ROT\_007\_001 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE -

Options: 1019, 1069, 1070,

---

## **ALTERNATIVE - Equipment manufacturer** ALTHMGU\_ROT\_008\_001 | v1.1

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Options: Bioseb,

---

## **ALTERNATIVE - Equipment model** ALTHMGU\_ROT\_009\_001 | v1.1

[procedureMetadata](#)

**Req. Analysis:** true

**Req. Upload:** true

**Is Annotated:** false

**Description:** ALTERNATIVE -

**Options:** LE 8200,

---

## **ALTERNATIVE - Rod surface** ALTHMGU\_ROT\_010\_001 | v1.1

[procedureMetadata](#)

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** false

**Description:** ALTERNATIVE -

**Options:** Rubber foam, Without rubber foam,

---

## **ALTERNATIVE - First intertrial interval** ALTHMGU\_ROT\_011\_001 | v1.1

[procedureMetadata](#)

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** false

**Unit Measured:** min

**Description:** ALTERNATIVE -

Options: 15,

---

## **ALTERNATIVE - Second intertrial interval** ALTHMGU\_ROT\_012\_01 | v1.1

[procedureMetadata](#)

Req. Analysis: false

Req. Upload: false

Is Annotated: false

Unit Measured: min

Description: ALTERNATIVE -

Options: 15,

---

## **ALTERNATIVE - Acceleration mode** ALTHMGU\_ROT\_013\_001 | v1.2

[procedureMetadata](#)

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: rpm

Description: ALTERNATIVE -

Options: 4-40,

---

## **ALTERNATIVE - Rod diameter** ALTHMGU\_ROT\_014\_001 | v1.2

procedureMetadata

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** false

**Unit Measured:** cm

**Description:** ALTERNATIVE -

**Options:** 3, 5,

---