

ALTERNATIVE - Urinalysis ALTJAX_URI_001

Parameters and Metadata

ALTERNATIVE - microAlbumin (calculated) ALTJAX_URI_001_001

| v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: mg/dl

Description: ALTERNATIVE -

ALTERNATIVE - Creatinine ALTJAX_URI_002_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: mg/dl

Description: ALTERNATIVE -

ALTERNATIVE - Albumin to Creatinine ratio ALTJAX_URI_003_0

01 | v1.2

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: mg/g

Description: ALTERNATIVE -

ALTERNATIVE - Magnesium ALTJAX_URI_004_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: mg/dl

Description: ALTERNATIVE -

ALTERNATIVE - Glucose ALTJAX_URI_005_001 | v1.1

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: mg/dl

Description: ALTERNATIVE -

ALTERNATIVE - Equipment name ALTJAX_URI_006_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

ALTERNATIVE - Equipment manufacturer ALTJAX_URI_007_001

| v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: false

Is Annotated: false

Description: ALTERNATIVE - null

Options: Beckman Coulter,

ALTERNATIVE - Equipment model ALTJAX_URI_008_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

Options: AU 680,

ALTERNATIVE - Anesthesia used for urine collection ALTJA X_URI_009_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

ALTERNATIVE - Method of urine collection ALTJAX_URI_010_001

| v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

ALTERNATIVE - Fasting prior to experiment ALTJAX_URI_011_0

01 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

Options: No,

ALTERNATIVE - Moved from Cage for Fasting ALTJAX_URI_01

2_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

Options: No,

ALTERNATIVE - Approximate period for Fasting ALTJAX_URI_

013_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

Options: None,

ALTERNATIVE - Samples kept on ice between collection and analysis ALTJAX_URI_014_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

Options: Yes, No,

ALTERNATIVE - Sample status ALTJAX_URI_015_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

Options: Fresh, Frozen,

ALTERNATIVE - Urine dilution ALTJAX_URI_016_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

Options: Neat, 1:1, 1:2,

ALTERNATIVE - ID of Urine collection ALTJAX_URI_017_001 | v1.0

procedureMetadata

Req. Analysis: true

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null

ALTERNATIVE - Date and time of urine collection ALTJAX_UR

I_018_001 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: Date/time

Description: ALTERNATIVE - null

ALTERNATIVE - Date of measurement ALTJAX_URI_019_001 | v1.2

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: Date

Description: ALTERNATIVE - null

ALTERNATIVE - Experimenter ID ALTJAX_URI_020_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE - null
