

ALTERNATIVE - Hot Plate ALTHRWL_HOT_001

Parameters and Metadata

ALTERNATIVE - Body weight ALTHRWL_HOT_001_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: g

Description: ALTERNATIVE -

ALTERNATIVE - Response latency ALTHRWL_HOT_002_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE -

ALTERNATIVE - Type of response ALTHRWL_HOT_003_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Options: Foot roll, Jump, Lick, Locomotion, No reaction, Retropulsion, Shake, Step,

ALTERNATIVE - Equipment manufacturer ALTHRWL_HOT_004_0

01 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Options: Bioseb,

ALTERNATIVE - Equipment model ALTHRWL_HOT_005_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -

Options: Dynamic Hot Plate,

ALTERNATIVE - Maximum plate temperature ALTHRWL_HOT_0

06_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: C

Description: ALTERNATIVE -

Options: 52,

ALTERNATIVE - Maximum time on hot plate ALTHRWL_HOT_00

7_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Unit Measured: s

Description: ALTERNATIVE -

Options: 30,

ALTERNATIVE - Experimenter ID ALTHRWL_HOT_008_001 | v1.0

procedureMetadata

Req. Analysis: false

Req. Upload: true

Is Annotated: false

Description: ALTERNATIVE -
