# **Open Field IMPC\_OFD\_001**

### Purpose

The Open Field test is used to assess anxiety and exploratory behaviors. It is based on the natural tendency of an animal to explore and to protect itself using avoidance which translates to a normal animal spending more time in the periphery of the Open Field arena than in the center (the most anxiogenic area).

### **Experimental Design**

- Minimum number of animals : 7M + 7F
- Age at test: Week 9
- Sex: We would expect the results of this test to show sexual dimorphism

### Procedure

1. Animals are transported to the testing room (or ideally an antechamber) and left undisturbed for 30 minutes before the test.

2. Ensure that lighting conditions are as desired (150-200 lux) and that all equipment is working correctly:

- 1. If using a beam break system, ensure that beams are not interrupted before putting the mouse and if measuring vertical activity (rears), check that height of the infrared frame for rears is correctly set.
- 2. If using a videotracking system, set detection parameters appropriate for the coat color of the mice.
- 3. For analysis, each openfield arena is divided into a peripheral zone measuring 8 cm from the edge of the arena walls, and a central zone around 40% of the total surface of the arena.

3. Testing is conducted during the light phase of the cycle with 1 hour gap from the light/dark change. Testing should be conducted during the same period of day.

4. Wipe the apparatus clean and allow time for it to dry

5. Each mouse is placed in the middle of a peripheral zone of the arena facing the wall and allowed to explore freely the apparatus, with the experimenter out of the animal's sight.

If more than one mouse can be tested in parallel, in adjacent open field arenas and mice are video-tracked, it is important to ensure that the tracking of each mouse starts as soon as the mouse is released to make data comparable.

Males and females must be run in separate tests; ideally males are tested first, then followed by females

6. At the end of the 20 min run, animals are labeled (if necessary) and put back into their home cage.

7. After each run, any feces are removed and the arena is thoroughly wiped.

8. Analysis of the recording is done to measure the activity of each mouse in each of the zones per 5 minute bins.

### **Notes**

- 1. Please ensure that the mice are not handled prior to the test, except handling for cage change.
- 2. Ear clipping should be done after the test if necessary.

#### Data QC

- 1. Verify total time of run.
- 2. Coherence between latency, number of entries and time in the center; e.g. it is not possible to have zero entries and have spent some time spent in the center.

### **Parameters and Metadata**

### Distance travelled IMPC\_OFD\_005\_001 | v1.2

seriesParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: cm		
Description: distance_travelle	ed	
Increments: 5, 10, 15, 20,		

#### Number of Rears IMPC OFD 006 001 | v1.1

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Description:** number\_of\_rears

Increments: 5, 10, 15, 20,

\_\_\_\_\_

#### Whole arena resting time IMPC\_OFD\_007\_001 | v1.1

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: s		
Description: whole_arena_re	sting_time	

#### Whole arena permanence IMPC\_OFD\_008\_001 | v1.1

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: false

Unit Measured: s

Description: whole\_arena\_permanence

#### Whole arena average speed IMPC\_OFD\_009\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: cm/s

Description: whole\_arena\_average\_speed

\_\_\_\_\_

### Periphery distance travelled IMPC\_OFD\_010\_001 | v1.1

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: cm		
Description: periphery_distan	ce_travelled	

### Periphery resting time IMPC\_OFD\_011\_001 | v1.1

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: s		
Description: periphery_resting	g_time	

### Periphery permanence time IMPC\_OFD\_012\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: s

Description: periphery\_permanence\_time

#### Periphery average speed IMPC\_OFD\_013\_001 | v1.1

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true

Unit Measured: cm/s

Description: periphery\_average\_speed

#### Center distance travelled IMPC\_OFD\_014\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: true

Is Annotated: true

Unit Measured: cm

Description: center\_distance\_travelled

\_\_\_\_\_

#### Center resting time IMPC\_OFD\_015\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: true

Is Annotated: true

Unit Measured: s

Description: center\_resting\_time

\_\_\_\_\_

#### Center permanence time IMPC\_OFD\_016\_001 | v1.1

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: s		
Description: center_permane	ence_time	

### Center average speed IMPC\_OFD\_017\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: cm/s

Description: center\_average\_speed

Latency to center entry IMPC\_OFD\_018\_001 | v1.1

simpleParameter

Req.	Analy	/sis:	false
------	-------	-------	-------

Unit Measured: s

**Description:** latency\_to\_center\_entry

#### Number of center entries IMPC\_OFD\_019\_001 | v1.1

simpleParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true	
Description: number_of_c	enter_entries		

-----

#### Distance travelled - total IMPC\_OFD\_020\_001 | v1.2

simpleParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true

Unit Measured: cm

**Description:** distance\_travelled\_total

**Derivation:** sumOfIncrements('IMPC\_OFD\_005\_001', 4)

#### Number of rears - total IMPC\_OFD\_021\_001 | v1.3

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

**Description:** number\_of\_rears\_total

**Derivation:** sumOfIncrements('IMPC\_OFD\_006\_001', 4)

#### Percentage center time IMPC\_OFD\_022\_001 | v1.2

simpleParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: %		
Description: percentage_cen	ter_time	
Derivation: mul(div('IMPC_OI	FD_016_001', 'IMPC_OFD_008	3_001'), 100)

\_\_\_\_\_

#### Equipment ID IMPC\_OFD\_023\_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

**Description:** equipment\_name

### Equipment manufacturer IMPC\_OFD\_024\_001 | v1.1

procedureMetadata

Reg. Analysis: true Reg. Upload: true

Is Annotated: false

**Description:** equipment manufacturer

Options: TSE Systems, MED Associates Inc, San Diego, O'hara CO Ltd., Panlab, Noldus, Accuscan, Columbus Instruments, Biobserve, Omnitech,

\_\_\_\_\_

#### Equipment model IMPC\_OFD\_025\_001 | v1.0

procedureMetadata

Req. Analysis: true	Req. Upload: true	Is Annotated: false
---------------------	-------------------	---------------------

**Description:** equipment\_model

Options: ActiMot / MoTil, MED-OFA-RS, 2325-0248, TijmeOF9, LE8822, Unknown, ActiMot / MoTil 480 x 480 mm, VMX 1.4b, Opto-Varimex 4, SuperFlex Fusion,

#### Central zone surface area IMPC\_OFD\_026\_001 | v1.1

procedureMetadata

Req. Analysis: false

Req. Upload: true Is Annotated: false

Unit Measured: % of total area

**Description:** central\_zone\_surface\_area

Options: 40, 42, 41, 39,

### Light intensity in the centre of the arena IMPC\_OFD\_027\_001 | v1.

1

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Unit Measured: Lux

**Description:** light\_intensity\_in\_the\_centre\_of\_the\_arena

\_\_\_\_\_

#### Number of animals per cage IMPC\_OFD\_028\_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

**Description:** number\_of\_animals\_per\_cage

\_\_\_\_\_

#### Color of arena IMPC\_OFD\_029\_001 | v1.0

procedureMetadata

Reg. Analysis: false Reg. Upload: false Is Annotated: false

**Description:** color\_of\_arena

**Options:** Black, Transparent, White, Grey,

#### Height of the wall IMPC\_OFD\_030\_001 | v1.0

procedureMetadata

Req. Analysis: false	Req. Upload: false	Is Annotated: false
Unit Measured: cm		
Description: height_of_th	e_wall	

### Distance from light source: if direct illumination IMPC\_OFD\_0

31\_001 | v1.1

procedureMetadata

Reg. Analysis: false Reg. Upload: false Is Annotated: false

-----

Unit Measured: cm

**Description:** distance\_from\_light\_source\_if\_direct\_illuminaton

#### Periphery zone IMPC\_OFD\_032\_001 | v1.2

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Unit Measured: cm

Description: periphery\_zone

### Type of analysis IMPC\_OFD\_033\_001 | v1.1

procedureMetadata

Req. Analysis: true	Req. Upload: true	Is Annotated: false
Description: type_of_analysis	3	
<b>Options:</b> Wide beam break, V	ïdeo tracking,	
Arena Size IMPC_OFD procedureMetadata	0_034_001  v1.0	
Req. Analysis: false	Req. Upload: true	Is Annotated: false
Description: arena_size		
<b>Options:</b> 45x45, 43.2x43.2, 40.5x40.5, 40x40, 44x44, 42x42, 44.5x44.5, 50x50,		
Experimenter ID IMF	PC_OFD_035_001  v1.1	
Experimenter ID IMF	PC_OFD_035_001   v1.1	

Req. Analysis: false Req. Upload: true Is Annotated: false

**Description:** experimenter

### Disinfectant IMPC\_OFD\_036\_001 | v1.1

procedureMetadata

Req. Analysis: false	Req. Upload: false	Is Annotated: false
Description: disinfectant		
Start Time IMPC_OFD	_037_001   v1.1	
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Description: start_time		
Arena ID IMPC_OFD_03 procedureMetadata	38_001   v1.0	
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Description: arena_id		

#### Software Version IMPC\_OFD\_039\_001 | v1.0

procedureMetadata

Req. Analysis: false	Req. Upload: true	Is Annotated: false

**Description:** software\_version

**Options:** 06.15 / 07.01, Topscan Lite, Image OF, Actitrack system, Ethovision XT v8.5, Versamax 4.2, TSE ActiMot Vers. 08.00, Activity Monitor V6.02, Opto-Varimex 4 AutoTrack System 4.97, TimeOFCR4, Opto-Varimex AutoTrack 4.x, Opto-Varimex AutoTrack 5.x, Activity Monitor V7.0.5.10, Fusion v6.3, Ethovision XT v15,

\_\_\_\_\_

#### Arena Material IMPC\_OFD\_040\_001 | v1.0

procedureMetadata

**Reg. Analysis:** false **Reg. Upload:** false

Is Annotated: false

**Description:** arena\_material

#### Date equipment last calibrated IMPC\_OFD\_041\_001 | v1.2

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

### Whole arena resting time series IMPC\_OFD\_001\_001 | v1.1

seriesParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: s

Increments: 5, 10, 15, 20,

\_\_\_\_\_

### Whole arena average speed series IMPC\_OFD\_002\_001 | v1.2

seriesParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: cm/s		
Increments: 20, 15, 10, 5,		

#### Periphery distance travelled series IMPC\_OFD\_003\_001 | v1.2

seriesParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: cm		
Increments: 5, 10, 15, 20,		

### Periphery resting time series IMPC\_OFD\_004\_001 | v1.2

#### seriesParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: s		
Increments: 5, 10, 15, 20,		

### Periphery permanence time series IMPC\_OFD\_042\_001 | v1.2

#### seriesParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: s		
Increments: 5, 10, 15, 20,		

## Periphery average speed series IMPC\_OFD\_043\_001 | v1.3

seriesParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: cm/s		
Increments: 5, 10, 15, 20,		

### Center distance travelled series IMPC\_OFD\_044\_001 | v1.3

seriesParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: cm		
Increments: 5, 10, 15, 20,		
Center resting time seriesParameter	e series IMPC_OFD_045	_001  v1.3
Req. Analysis: false	Req. Upload: false	Is Annotated: true

Unit Measured: s

Increments: 5, 10, 15, 20,

\_\_\_\_\_

### Center permanence time series IMPC\_OFD\_046\_001 | v1.2

seriesParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: s		
Increments: 5, 10, 15, 20,		

### Center average speed series IMPC\_OFD\_047\_001 | v1.2

seriesParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Unit Measured: cm/s		
Increments: 5, 10, 15, 20,		

### Number of center entries series IMPC\_OFD\_048\_001 | v1.1

seriesParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Increments: 5, 10, 15, 20,		

## Light beam barrier height (Z axis) IMPC\_OFD\_049\_001 | v1.1

procedureMetadata

Req. Analysis: true	Req. Upload: false	Is Annotated: false		
Unit Measured: cm				
Description: height of the Z axis light beam used to determine when mouse is rearing				
<b>Options:</b> 8.6, 6.8, 8.0, 7.5,				

\_\_\_\_\_

#### Percentage center movement time IMPC\_OFD\_050\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: %

**Derivation:** mul(div(sub('IMPC\_OFD\_016\_001', 'IMPC\_OFD\_015\_001'),'IMPC\_OFD\_008\_001'),100)

### **Resting definition threshold** IMPC\_OFD\_051\_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false	Is Annotated: false
---	---------------------

**Description:** Parameter measuring how the equipment defines a 'resting' animal

**Options:** Stationary for > 1 second, Stationary for any time, Within grid for > 2 seconds,

#### Rearing definition threshold IMPC\_OFD\_052\_001 | v1.0

procedureMetadata

Req. Analysis: false	Req. Upload: false	Is Annotated: false

**Description:** Parameter measuring how the equipment defines a 'rearing' animal

**Options:** No threshold, 1 second,